PAR..AL BOUNDARY SURVEYS

BEAVER RESERVOIR
WHITE RIVER, ARKANSAS

CONTRACT NO. DACW03-76-0030

SECTION 26, T 21 N, R 28 W, COUNTY BENTON



FULL SEC. APPROX. SCALE 1:12,000

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	204-1-58 = 200-1		1139.68	777167.99	1434131.39	TYPE 3
1		N02-07-55E	353.07			
	200-1A		1141.21	777520.82	1434144.52	"
1		N02-07-55E	262.68			
	200-1B		1148.08	777783.31	1434154.29	"
1		N02-07-55E	208.67			
	200-2		1134.17	777991.84	1434162.06	TYPE 3
2		N35-49-26E	418.15			

FIELD BOOK NO. 75-B-31, 32, 37 DATE July 76

CERTIFICATE OF SURVEY

I HEREBY CERTIFY THAT THE ABOVE PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE SURVEY MADE IN SEC 26, T 21 N, R 28 W, BENTON COUNTY, ARKANSAS.

William C. Jenkins
SURVEYOR

688
REG. NO.

McCLELLAND CONSULTING ENGINEERS, INC.

FOR

U.S. ARMY ENGINEER DISTRICT, LITTLE ROCK
CORPS OF ENGINEERS

SHEET 1 OF 4

GN MN
8°41'

LEGEND
▲ MONUMENT TYPE 1
△ MONUMENT TYPE 3
● FOUND IRON PIN
○ SET IRON PIN
■ FOUND STONE
□ COMPUTED CORNER
✳ OTHER

BEAVER RESERVOIR

WHITE RIVER, ARKANSAS

CONTRACT NO. DACW03-76-0030

SECTION 26, T 21 N, R 28 W, COUNTY BENTON

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	200-2A		1151.96	778330.88	1434406.80	TYPE 3
2		N35-49-26 E	176.85			
	200-3		1131.12	778474.27	1434510.31	"
3		N02-08-50 E	141.36			
	200-3A		1156.30	778615.53	1434515.63	"
3		N02-08-50 E	298.35			
	200-3B		1151.32	778913.67	1434526.80	"
3		N02-08-50 E	405.99			
	200-3C		1135.82	779319.38	1434542.02	"
3		N02-08-50 E	143.57			
	200-4		1178.46	779462.85	1434547.38	"
4		N87-53-55 W	95.48			
	200-4A		1209.81	779466.35	1434451.98	"
4		N87-53-55 W	69.50			
	200-5		1223.47	779468.90	1434382.52	"
5		S28-42-50 W	95.77			
	200-5A		1198.02	779384.91	1434336.51	"
5		S28-42-50 W	83.42			
	200-5B		1231.37	779311.74	1434296.43	"
5		S28-42-50 W	84.34			
	200-5C		1244.88	779237.77	1434255.90	"
5		S28-42-50 W	130.92			
	200-5D		1253.54	779122.95	1434193.01	"
5		S28-42-50 W	118.64			
	200-5E		1232.25	779018.90	1434136.01	"
5		S28-42-50 W	154.74			
	200-5F		1163.87	778883.19	1434061.66	"
5		S28-42-50 W	70.02			
	200-6		1175.23	778821.78	1434028.03	"
6		S02-07-19 W	102.79			
	200-6A		1209.19	778719.06	1434024.22	"
6		S02-07-19 W	96.74			
	200-6B		1222.76	778622.38	1434020.64	"
6		S02-07-19 W	130.25			
	200-7		1204.72	778492.22	1434015.81	"
7		S28-41-12 W	368.67			
	200-8		1162.51	778168.80	1433838.85	TYPE 3
8		S28-41-58 W	368.63			

BEAVER RESERVOIR

WHITE RIVER, ARKANSAS

CONTRACT NO. DACW03-76-0030

SECTION 26, T 21 N, R 28 W, COUNTY BENTON

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	200-9		1234.54	777345.45	1433661.82	TYPE 3
9		S02-08-47W	35.23			
	200-9A		1236.06	777310.25	1433660.50	"
9		S02-08-47W	198.39			
	200-9B		1235.08	777611.99	1433653.07	"
9		S02-08-47W	261.06			
	200-10		1169.68	777350.88	1433643.29	"
10		N54-12-41W	161.71			
	200-10A		1193.38	777445.45	1433512.12	"
10		N54-12-41W	157.29			
	200-10B		1186.55	777537.42	1433384.54	"
10		N54-12-41W	275.50			
	200-11		1171.44	777698.52	1433161.08	"
11		N42-54-57W	191.65			
	200-11A		1201.45	777838.84	1433030.61	"
11		N42-54-57W	176.47			
	200-11B		1215.29	777968.08	1432910.44	"
11		N42-54-57W	98.49			
	200-12		1212.20	778040.19	1432843.40	"
12		N61-21-10W	103.89			
	200-12A		1179.37	778090.00	1432752.22	"
12		N61-21-10W	136.75			
	200-12B		1166.60	778155.56	1432632.21	"
12		N61-21-10W	127.53			
	200-13		1195.40	778216.70	1432520.30	TYPE 3
13		N87-54-38W	41.23			
	200-14		1180.60	778218.20	1432479.10	TYPE 1
14		S77-09-13W	325.91			
	200-14A		1170.73	778145.74	1432161.35	TYPE 1
14		S77-09-13W	148.43			
	200-14B		1161.48	778112.74	1432016.63	TYPE 3
14		S77-9-13W	165.43			
	200-15=201-1		1160.30	778075.96	1431855.35	"
15		N87-54-40W	164.89			
	201-2		1163.76	778081.97	1431690.56	"
16		S47-02-24W	232.96			
	201-3		1156.92	777923.21	1431520.08	TYPE 3
17		S61-21-10E	298.82			

BEAVER RESERVOIR

WHITE RIVER, ARKANSAS

CONTRACT NO. DACW03-76-0030

SECTION 26, T 21 N, R 28 W, COUNTY BENTON

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	201-3A		1179.49	777779.95	1431782.32	TYPE 3
17		S61-21-10E	70.00			
	201-4 = 200-16		1186.54	777746.39	1431843.75	"
18		S87-54-26E	55.20			
	200-16A		1188.36	777744.37	1431898.91	"
18		S87-54-26E	213.75			
	200-16B		1216.38	777736.57	1432112.52	"
18		S87-54-26E	75.31			
	200-16C		1219.36	777733.82	1432187.78	"
18		S87-54-26E	166.60			
	200-16D		1208.66	777727.73	1432354.27	"
18		S87-54-26E	148.57			
	200-17		1179.52	777722.31	1432502.73	"
19		S42-54-12E	301.72			
	200-17A		1198.32	777501.30	1432708.13	"
19		S42-54-12E	323.58			
	200-17B		1198.95	777264.28	1432928.41	"
19		S42-54-12E	74.06			
	200-18 = 202-1		1176.00	777210.03	1432978.83	TYPE 3

SHEET 4 OF 4