BOUNDARY SURVEYS
CLEARWATER LAKE
BLACK RIVER, ARKANSAS & MISSOURI

SECTION 3 ,T 28 N ,R 2 E COUNTY REYNOLDS



FULL SECTION APPROXIMATE SCALE 1:12,000

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	26A-3= 32-1			475171.78	408201.73	Monument Type 1
1		N 88-51-40W	131.23			
	32-1A			475174.39	408070.51	Monument Type 1
1		N 88-51-40W	131.54			
	32-1B			475177.01	407938.98	Monument Type 3
1		N 88-51-40 W	139.20			
	32-1C			475179.77	407799.78	Monument Type 3
1		N 88-51-40W	223.10			

CERTIFICATE OF SURVEY

I HEREBY CERTIFY THAT THE ABOVE PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE SURVEY MADE IN SECTION 3, T 28 N, R 2 E.

REYNOLDS COUNTY, MO.
COUNTY

James R. Kearney
SURVEYOR

1511
REG. NO.

Field Book No. 76C-7,8 / 76C-9,10 Date: FEB. 17 TO MARCH 2, 1977

PREPARED BY
HUFFMAN ENGINEERING, INC.
FOR
U. S. ARMY ENGINEER DISTRICT, LITTLE ROCK
CORPS OF ENGINEERS

SHEET 1 OF 5

GN MN

LEGEND

- ▲ MONUMENT TYPE
- △ MONUMENT TYPE
- ● FOUND I. P.
- ○ SET I. P.
- ■ FOUND STONE
- □ COMPUTED CORN
- ✳ OTHER

CLEARWATER LAKE
BLACK RIVER, ARKANSAS & MISSOURI

SECTION 3 , T 28 N , R 2 E COUNTY REYNOLDS

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	32-1D			475184.21	407576.69	Monument Type 3
1		N 88-51-40 W	213.26			
	32-1E			475188.45	407363.44	Monument Type 3
1		N 88-51-40 W	187.99			
	32-1F			475192.19	407175.46	Monument Type 3
1		N 88-51-40 W	199.70			
	32-1G			475196.16	406975.77	Monument Type 3
1		N 88-51-40 W	49.63			
	32-2			475197.14	406926.14	Monument Type 3
2		S 00-39-16 E	411.13			
	32-2A			474786.09	406930.84	Monument Type 3
2		S 00-39-16 E	130.37			
	32-2B			474655.75	406932.33	Monument Type 3
2		S 00-39-16 E	247.81			
	32-2C			474407.98	406935.16	Monument Type 3
2		S 00-39-16 E	289.15			
	32-2D			474118.89	406938.46	Monument Type 3
2		S 00-39-16 E	131.03			
	32-2E			473987.88	406939.96	Monument Type 3
2		S 00-39-16 E	108.34			
	32-2F			473879.56	406941.20	Monument Type 3
2		S 00-39-16 E	319.65			
	32-2G			473559.97	406944.85	Monument Type 3
2		S 00-39-16 E	23.82			
	32-3= 33-1			473536.15	406945.12	Monument Type 3
2		S 00-39-16 E	332.32			
	33-1A			473203.83	406948.92	Monument Type 3
2		S 00-39-16 E	109.01			
	33-1B			473094.81	406950.16	Monument Type 3
2		S 00-39-16 E	142.69			
	33-1C			472952.12	406951.79	Monument Type 3
2		S 00-39-16 E	294.36			
	33-1D			472657.75	406955.15	Monument Type 3
2		S 00-39-16 E	417.26			
	33-1E			472240.48	406959.92	Monument Type 3
3		S 00-39-13 E	246.95			
	33-1F			471993.55	406962.78	Monument Type 3
3		S 00-39-13 E	281.83			
	33-1G			471711.74	406966.03	Monument Type 3

BLACK RIVER, ARKANSAS & MISSOURI

SECTION 3 , T 28 N , R 2 E COUNTY REYNOLDS

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
3		S 00-39-13 E	200.88			
	33-1H			471510.88	406968.35	Monument Type 3
3		S 00-39-13 E	272.26			
	33-2			471238.64	406971.50	Monument Type 1
4		N 88-27-42 W	294.18			
	33-2A			471246.54	406677.47	Monument Type 1
4		N 88-27-42 W	399.93			
	33-2B			471257.28	406277.74	Monument Type 3
4		N 88-27-42 W	296.62			
	33-2C			471265.25	405981.27	Monument Type 3
4		N 88-27-42 W	192.37			
	33-2D			471270.42	405788.99	Monument Type 3
4		N 88-27-42 W	182.85			
	33-3			471275.33	405606.23	Monument Type 3
5		N 00-33-27 W	210.67			
	33-3A			471485.99	405604.18	Monument Type 3
5		N 00-33-27 W	169.16			
	33-3B			471655.15	405602.54	Monument Type 3
5		N 00-33-27 W	179.97			
	33-3C			471835.11	405600.79	Monument Type 3
5		N 00-33-27 W	103.92			
	33-4			471939.02	405599.77	Monument Type 3
6		N 88-39-21 W	161.88			
	33-4A			471942.84	405437.92	Monument Type 3
6		N 88-39-21 W	279.37			
	33-4B			471949.42	405158.60	Monument Type 3
6		N 88-39-21 W	273.56			
	33-4C			471955.87	404885.09	Monument Type 3
6		N 88-39-21 W	123.65			
	33-4D			471958.79	404761.47	Monument Type 3
6		N 88-39-21 W	170.29			
	33-5			471962.80	404591.21	Monument Type 3
7		N 00-04-24 W	330.72			
	33-6			472293.56	404590.75	Monument Type 3
8		N 88-43-44 W	292.34			
	33-6A			472300.05	404298.46	Monument Type 3
8		N 88-43-44 W	276.13			
	33-6B			472306.17	404022.37	Monument Type 3
8		N 88-43-44 W	437.41			

SHEET 3 OF 5

SWL FORM 136
REVISED OCT. 1971

BLACK RIVER, ARKANSAS & MISSOURI

SECTION 3 , T 28 N , R 2 E COUNTY REYNOLDS

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	33-7			472315.88	403585.02	Monument Type 3
9		S 00-14-29 W	180.64			
	33-7A			472135.27	403584.28	Monument Type 3
9		S 00-14-29 W	305.36			
	33-7B			471829.96	403583.01	Monument Type 3
9		S 00-14-29 W	173.14			
	33-8			471656.85	403582.29	Monument Type 1
10		N 88-35-34 W	307.32			
	33-8A			471664.45	403275.08	Monument Type 1
10		N 88-35-34 W	272.33			
	33-8B			471671.18	403002.85	Monument Type 3
10		N 88-35-34 W	92.99			
	33-9= 36-1			471673.48	402909.89	Monument Type 3
11		S 00-24-50 W	247.13			
	36-1A			471426.39	402908.11	Monument Type 3
11		S 00-24-50 W	250.96			
	36-1B			471175.48	402906.30	Monument Type 3
11		S 00-24-50 W	159.86			
	36-1C			471015.65	402905.14	Yield to Rockpile Monument Type 3
12		S 00-58-38 W	193.91			
	36-1D			470821.78	402901.84	Monument Type 3
12		S 00-58-38 W	235.23			
	36-1E			470586.61	402897.82	Monument Type 3
12		S 00-58-38 W	211.20			
	36-1F			470375.46	402894.22	Monument Type 3
12		S 00-58-38 W	285.34			
	36-1G			470090.19	402889.36	Monument Type 3
12		S 00-58-38 W	221.07			
	36-1H			469869.17	402885.59	Monument Type 3
12		S 00-58-38 W	159.93			
	36-2= 37-1			469709.28	402882.86	Yield to Iron Pin in 6" Conc. Post

SHEET 4 OF 5

SWL FORM 136
REVISED OCT. 1971

BLACK RIVER, ARKANSAS & MISSOURI

SECTION 3 , T 28 N , R 2 E COUNTY REYNOLDS

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
		AS PER SECTION BREAKDOWN				
	26A-3= 32-1			475171.78	408201.73	
1		N 88-51-40 W	1275.82			
	32-2			475197.14	406926.14	
2		S 00-39-16 E	2956.86			
	33-1E			472240.48	406959.92	
3		S 00-39-18 E	1001.92			
	33-2			471238.63	406971.37	
4		N 88-27-55 W	1365.95			
	33-3			471275.21	405605.91	
5		N 00-31-48 W	663.82			
	33-4			471939.02	405599.77	
6		N 88-39-23 W	1008.75			
	33-5			471962.68	404591.30	
7		N 00-04-32 W	330.73			
	33-6			472293.40	404590.86	
8		N 88-43-13 W	1006.09			
	33-7			472315.88	403585.02	
9		S 00-14-27 W	659.14			
	33-8			471656.74	403582.25	
10		N 88-35-35 W	672.65			
	33-9= 36-1			471673.26	402909.80	
11		S 00-24-22 W	657.63			
	36-1C			471015.65	402905.14	
12		S 00-58-38 W	1306.56			
	36-2= 37-1			469709.28	402882.86	

SHEET 5 OF 5

SWL FORM 136
REVISED OCT. 1971