BOUNDARY SURVEYS
CLEARWATER LAKE
BLACK RIVER, ARKANSAS & MISSOURI

SECTION 24 ,T 29N ,R 2E COUNTY Reynolds



COURSES 8 THRU 12 SURVEYED BY CORPS 75

FULL SECTION APPROXIMATE SCALE 1:12,000

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	C-29-10= C-67-34			485605.162	417563.615	Type 3 Mon
1		N03°53'05"E	242.68'			
	C-67-34A			485847.259	417580.055	"
1		N03°53'05"E	141.51'			
	C-67-34B			485988.427	417589.641	"
1		N03°53'05"E	114.47'			
	C-67-34C			486102.621	417597.395	"
1		N03°53'05"E	348.35			

Field Book No. C-74-5 C-74-7 C-81-8 Date: 1975 1-13-82

CERTIFICATE OF SURVEY
I HEREBY CERTIFY THAT THE ABOVE PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE SURVEY MADE IN SECTION 24 29N 2E
YOUNG NUMBER LS-1811
Reynolds COUNTY
Ward E. Young SURVEYOR REG. NO.
STATE OF MISSOURI REGISTERED LAND SURVEYOR

MOORE AND WOLFINBARGER
ENGINEERS — SURVEYORS
SPRINGFIELD, MISSOURI
FOR THE
U. S. ARMY ENGINEER DISTRICT, LITTLE ROCK
CORPS OF ENGINEERS

SHEET 1 OF 4

GN MN

LEGEND
- MONUMENT TYPE 1
- MONUMENT TYPE 3
- FOUND I.P.
- SET I.P.
- FOUND STONE
- COMPUTED CORNER
- OTHER

CLEARWATER LAKE
B. CK RIVER, ARKANSAS & MISSOURI

SECTION 24 , T 29N , R 2E COUNTY Reynolds

URSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	C-67-34D			486450.137	417620.994	Type 3 Mon.
1		N03°53'05"E	150.03'			
	C-67-35			486599.810	417631.157	"
2		N89°54'44"W	340.52			
	C-67-35A			486600.331	417290.671	"
2		N89°54'44"W	173.20'			
	C-67-35B			486600.597	417117.493	"
2		N89°54'44"W	106.60'			
	C-67-35C			486600.760	417010.905	"
2		N89°54'44"W	320.58'			
	C-67-35D			486601.250	416690.357	"
2		N89°54'44"W	208.34'			
	C-67-35E			486601.569	416482.042	"
2		N89°54'44"W	159.24'			
	C-67-36			486601.813	416322.816	"
3		N01°47'06"E	387.26'			
	C-67-36A			486988.846	416334.877	"
3		N01°47'06"E	313.11'			
	C-67-36B			487301.776	416344.629	"
3		N01°47'06"E	240.78'			
	C-67-36C			487542.418	416352.128	"
3		N01°47'06"E	49.48'			
	C-67-37			487591.873	416353.669	"
4		S89°54'50"W	233.21'			
	C-67-37A			487591.523	416120.477	"
4		S89°54'50"W	385.08'			
	C-67-37B			487590.943	415735.432	"
4		S89°54'50"W	128.91'			
	C-67-37C			487590.750	415606.534	"
4		S89°54'50"W	130.61'			
	C-67-37D			487590.553	415475.940	"
4		S89°54'50"W	545.07'			
	C-67-37E			487589.733	414930.928	"
4		S89°54'50"W	264.00			
	C-67-37F			487589.336	414666.954	"
4		S89°54'50"W	215.40'			
	C-67-37G			487589.012	414451.579	"
4		S89°54'50"W	68.41'			
	C-67-38			487588.910	414383.179	Type 3 Mon.

SHEET 2 OF 4

FORM 136

CLEARWATER LAKE
L ACK RIVER, ARKANSAS & MISSOURI

SECTION 24 , T 29 N , R 2E COUNTY Reynolds

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
5		N01°21'45"E	56.27'			
	C-67-38A			487645.161	414384.517	Type 1 Mon.
5		N01°21'45"E	274.83'			
	C-67-38B			487919.884	414391.052	"
5		N01°21'45"E	466.07'			
	C-67-38C			488385.780	414402.135	Type 3 Mon.
5		N01°21'45"E	231.16'			
	C-67-38D			488616.849	414407.631	"
5		N01°21'45"E	158.01'			
	C-67-38E			488774.797	414411.388	"
5		N01°21'45"E	132.78'			
	C-67-38F			488907.531	414414.546	"
5		N01°21'45"E	237.89'			
	C-67-38G			489145.331	414420.202	"
5		N01°21'45"E	188.69'			
	C-67-38H			489333.969	414424.689	"
5		N01°21'45"E	128.76'			
	C-67-38I			489462.677	414427.751	"
5		N01°21'45"E	98.58'			
	C-67-39			489561.218	414430.095	"
6		S89°34'10"W	171.35'			
	C-67-39A			489559.930	414258.764	"
6		S89°34'10"W	162.66'			
	C-67-39B			489558.708	414096.123	"
6		S89°34'10"W	327.89'			
	C-67-40			489556.243	413768.270	"
7		N01°12'55"E	151.65			
	C-67-40A			489707.846	413771.486	"
7		N01°12'55"E	176.34'			
	C-67-40B			489884.133	413775.226	"
7		N01°12'55"E	392.62'			
	C-67-40C			490276.629	413783.554	"
7		N01°12'55"E	283.42'			
	C-67-40D			490559.959	413789.565	"
7		N01°12'55"E	221.97'			
	C-67-40E			490781.856	413794.272	"
7		N01°12'55"E	84.99'			
	C-67-41			490866.818	413796.075	Type 3 Mon.

FORM 136

CLEARWATER LAKE
L ACK RIVER, ARKANSAS & MISSOURI

SECTION 24 , T 29 N , R 2 E COUNTY Reynolds

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	C-67-25			490 918.82	419 118.24	△ 13|18 24|19
8		S 89-23-03 W	158.80			
	C-67-25A			490 917.11	418 959.50	△
8		S 89-23-03 W	129.21			
	C-67-25B			490 915.72	418 830.34	△
8		S 89-23-03 W	135.00			
	C-67-25C			490 914.27	418 695.38	△
8		S 89-23-03 W	244.86			
	C-67-26			490 911.64	418 450.61	△
9		S 00-51-22 W	425.60			
	C-67-26A			490 486.09	418 444.05	△ Yield to prev. survey
9		S 00-51-22 W	402.22			
	C-67-26B			490 083.91	418 438.04	△ Yield
9		S 00-51-22 W	215.01			
	C-67-26C			489 868.93	418 434.83	▲ Yield
9		S 00-51-22 W	290.82			
	C-67-27			489 578.13	418 430.48	▲ Yield
10		S 89-23-22 W	271.64			
	C-67-27A			489 575.24	418 158.86	△ Yield
10		S 89-23-22 W	655.97			
	C-67-27B			489 568.25	417 502.92	△ Yield
10		S 89-23-22 W	78.27			
	C-67-28			489 567.41	417 424.66	△ Yield
11		N 00-13-57 E	329.91			
	C-67-28A			489 897.32	417 426.00	△ Yield
11		N 00-13-57 E	523.54			
	C-67-28B			490 420.85	417 428.12	△ Yield
11		N 00-13-57 E	186.07			
	C-67-28C			490 606.92	417 428.88	△ Yield
11		N 00-13-57 E	293.71			
	C-67-29			490 900.68	417 430.07	△ Yield
12		N 89-23-05 E	166.78			
	C-67-29A			490 902.54	417 603.86	△ Yield
12		N 89-23-05 E	137.74			
	C-67-30			490 904.29	417 771.00	△ Yield

SHEET 4 OF 4

FORM 136