BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, MISSOURI
DAC WO 3-73-C-0124

SECTION 33, T 22 N, R 22 W COUNTY STONE



FULL SECTION APPROXIMATE SCALE
1:12,000

★ REVISION OF COURSE 9
JUNE 1976

MO. CENTRAL ZONE

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	C-353-1-5 C352-18		929.66	264,683.20	258,421.53	Yield to Ex. I. Pipe △
1		N42°40'22"W	467.52'			
	C-352-19		937.05	265,026.93	258,104.64	△
2		S87°58'52"E	163.44'			
	C-352-20 C-362-1		924.10	265,021.18	258,267.98	△
3		N73°09'50"E	259.05'			
	C-362-2		933.44	265,096.20	258,515.92	△
4		N1°41'41"E	82.82'			

CERTIFICATE OF SURVEY

I HEREBY CERTIFY THAT THE ABOVE PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE SURVEY MADE IN SECTION 33, T 22N R 22W

[signature]

Field Book No. 73-TR-52 Date: 1973-1974
75-TR-5

PREPARED BY: ROZELL ENGINEERING CO.
FOR
U.S. ARMY ENGINEER DISTRICT, LITTLE ROCK
CORPS OF ENGINEERS

GN MN
0°11' 7°

LEGEND
▲ MONUMENT TYPE 1
△ MONUMENT TYPE 3
● FOUND I.P.
○ SET I.P.
■ FOUND STONE
□ COMPUTED COR.
★ OTHER

SHEET 1 OF 5

BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, MISSOURI
DAC WO 3-73-C-0124

SECTION 33 ,T 22N,R 22W COUNTY STONE

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	C-362-3		934.81	265,178.99	258,518.37	Yield to Ex. Brass Cap △
	C-309-1		953.57	267,334.79	258,830.18	Yield to Ex. Brass Cap △
5		N88°53'34"W	252.09'			
	C-309-1-A		973.98	267,339.66	258,578.13	△
5		N88°53'34"W	78.15'			
	C-309-2 C355-1-1		972.18	267,341.17	258,500.00	Ex. Stone △
6		N1°34'08"E	300.06'			
	C-355-1-1-A		976.76	267,641.10	258,508.21	△
6		N1°34'08"E	195.65'			
	C-355-1-2		954.10	267,836.67	258,513.57	△
7		N88°11'54"W	78.44'			
	C-355-1-2A		961.08	267,839.13	258,435.17	△
7		N88°11'54"W	85.94'			
	C-355-1-3		948.21	267,841.83	258,349.28	△
8		S1°31'29"W	495.66'			
	C-355-1-4 C354-3-1		954.57	267,346.33	258,336.09	△
9		SEE REVISION - SHEET 4 OF 5				
	C-354-3-1A		956.37	267,262.43	258,333.69	△
9		S1°38'25"W	82.37'			
	C-354-3-2		957.18	267,180.09	258,331.33	Yield to Ex. I. Pin. ▲
10		N88°10'58"W	328.93'			
	C-354-3-3		958.90	267,190.52	258,002.59	Yield to Ex. I. Pin ▲
11		N42°45'02"W	233.43'			
	C-354-3-4 C-354-2-1		942.53	267,361.91	257,844.15	△
12		S64°54'05"W	126.50'			
	C-354-2-1A		955.86	267,308.26	257,729.60	△
12		S64°54'05"W	606.40'			
	C-354-2-2		999.80	267,051.05	257,180.49	△
13		N1°20'19"E	331.74'			
	C-354-2-3 C-355-1-5		961.36	267,382.68	257,188.24	△
14		N1°17'26"E	330.33'			
	C-355-1-6		958.93	267,712.92	257,195.68	△
15		N27°20'00"E	369.72'			
	C-355-1-7		942.30	268,041.36	257,365.44	Yield to Ex. I. Pin. △
16		N12°34'40"W	418.00'			
	C-355-1-7A		951.84	268,449.29	257,274.42	Yield to Recorded Plat △
16		N12°34'40"W	200.00'			

DAC W03-73-C-0124

SECTION 33, T 22 N, R 22 W COUNTY STONE

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	C-355-1-7B		948.19	268,644.48	257,230.87	Yield to Recorded Plat △
16		N12°34'40"W	60.74'			
	C-355-1-8 C356-1		946.79	268,703.75	257,217.64	" △
17		N32°11'45"W	312.92			
	C-356-1-A		950.72	268,968.53	257,050.93	" △
17		N32°11'45"W	283.94'			
	C-356-2		943.24	269,208.80	256,899.65	" △
18		S65°06'45"W	368.00'			
	C-356-3		956.33	269,053.93	256,565.80	" △
19		S57°56'46"W	62.92'			
	C-356-3A		957.95	269,020.53	256,512.47	" △
19		S57°56'46"W	300.00'			
	C-356-3B		960.31	268,861.31	256,258.19	" △
19		S57°56'46"W	229.13'			
	C-356-4 C355-2-1		948.99	268,739.70	256,063.97	" △
20		S19°29'58"W	519.55'			
	C-355-2-2 C-357-1		936.22	268,249.90	255,890.53	Yield to Ex.60D Nail △
	C357-4 C355-3-1		929.83	267,424.46	255,876.00	Yield to Ex. I. Pin △
21		S25°01'04"E	127.34'			
	C-355-3-1-A		935.90	267,309.06	255,929.85	△
21		S25°01'04"E	196.95'			
	C-355-3-1-B		931.99	267,130.58	256,013.14	△
21		S25°01'04"E	49.35'			
	C-355-3-2		940.19	267,085.86	256,034.01	△
22		S19°10'42"W	200.21'			
	C-355-3-2-A		957.06	266,896.75	255,968.24	△
22		S19°10'42"W	324.38'			
	C-355-3-3 C-357-5		991.60	266,590.36	255,861.68	△

SHEET 3 OF 5

BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, ARKANSAS & MISSOURI

SECTION 33 , T 22N, R 22W COUNTY STONE

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
		REVISION DATED JUNE 1976				
	C-355-1-4 = C-354-3-1			267346.33	258,336.09	Type III
9		S 01-38-25 W	24.16			
	C-354-3-1-1			267322.17	258335.39	Type III
9A		S 31-00-50 W	35.17.			
	C-354-3-1-2			267291.97	258317.34	Type III
9B		S 58-45-37 E	19.76			
	C-354-3-1-3			267281.72	258334.24	Type III
9		S 01-38-25 W	19.30			
	C-354-3-1A			267262.43	258333.69	Type III

SHEET 4 OF 5

SWL FORM 136
REVISED OCT. 1971

BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, MISSOURI
DACW03-73-C-0124

SECTION 33, T 22N, R 22W COUNTY STONE



FULL SECTION APPROXIMATE SCALE
1:12,000

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION	POSITION		REMARKS
			DISTANCE	NORTH	EAST	

CERTIFICATE OF SURVEY

I HEREBY CERTIFY THAT THE ABOVE PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE SURVEY MADE IN SECTION 33, T 22N R 22W

Field Book No. _____ Date: 1973-1974

PREPARED BY: ROZELL ENGINEERING CO.
FOR
U.S. ARMY ENGINEER DISTRICT, LITTLE ROCK
CORPS OF ENGINEERS

GN MN
0°11' 7°

LEGEND
- ▲ MONUMENT TYPE 1
- △ MONUMENT TYPE 3
- ● FOUND I.P.
- ○ SET I.P.
- ■ FOUND STONE
- □ COMPUTED COR.
- ✱ OTHER

SHEET 5 OF 5