# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.
# DACW03-71-C-0081

SEC. 17, T-22-N, R-23-W COUNTY STONE - MO.




COURSE 19 REVISED 12-19-92 BK 91 TR-1

FULL SEC. APPROX. SCALE 1:12,000 H-846-10 RESET IN SAME LOCATION 1977
H-846-10A RESET IN NEW LOCATION
H-846-10B SET 1977 BOOK 71 TR 14

COURSE 47 REVISED JULY 1978. BK 78N-20. MO. CENTRAL ZONE

| TRACT NO. | COURSE NO. | MONUMENT NO. | ANGLE / GRID BEARING | ELEVATION / DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | H827-12A | | 937.24 | 287020.82 | 224203.65 | In Sec. 8 |
| | | | S42°-53'-3"E | 417.79' | | | |
| | | H827-13 H828-1-1 | | 932.35 | 286714.69 | 224487.96 | YIELD TO PREV. SURV. EXISTING STONE |
| | 1 | | S 0°-49'-30"W | 228.33' | | | |
| | | H828-1-1-A | | 944.18 | 286486.38 | 224484.67 | |
| | 1 | | S 0°-49'-30"W | 251.62' | | | |
| | | H828-1-2 | | 931.14 | 286234.79 | 224481.05 | AS PER SECTION BK'DN. |
| | 2 | | S 24°-55'-6"E | 178.02' | | | |

MONUMENTATION 71 TR-42
LEVELS 71 TR-43
Field Book No. _____ Date: 1971
CORNER TIES 71 TR-12 & 13
TRAVERSE LINE 71 TR-14, 15, 16 & 17
CRAFTON AND TULL CONSULTING ENGINEERS, INC.
UNDER THE SUPERVISION OF
U. S. ARMY ENGINEER DISTRICT, LITTLE ROCK
CORPS OF ENGINEERS

SHEET 1 of 14

**CERTIFICATE OF SURVEY**

I HEREBY CERTIFY THAT THE ABOVE PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE SURVEY MADE IN SECTION 17, T-22-N, R-23-W.

STONE COUNTY, MISSOURI

Harold J. Pranter

HAROLD J. PRANTER R.L.S. NO 748

GN MN 0°32'0" 6°16'0"

**LEGEND**

- ▲ - MONUMENT TYPE 1
- △ - MONUMENT TYPE 3
- ● - FOUND I. P.
- ○ - SET I. P.
- ■ - FOUND STONE
- □ - COMPUTED CORNER
- ✱ - OTHER

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE - MO.

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | H828-1-2-A | | 930.39 | 286073.34 | 224556.05 | |
| | 2 | | S 24°-55'-6"E | 192.51' | | | |
| | | H828-1-3 | | 936.61 | 285898.75 | 224637.16 | |
| | 3 | | S 1°-33'-11"W | 165.09' | | | |
| | | H828-1-4 | | 928.96 | 285733.72 | 224632.69 | |
| | 4 | | N-71°-57'-32"W | 389.24' | | | |
| | | H828-1-4-A | | 940.05 | 285854.27 | 224262.58 | |
| | 4 | | N-71°-57'-32"W | 505.86' | | | |
| | | H828-1-4-B | | 935.95 | 286010.93 | 223781.59 | |
| | 4 | | N-71°57'-32"W | 309.21' | | | |
| | | H828-1-5 | | 942.89 | 286106.69 | 223487.58 | |
| | 5 | | N43°41'-16"W | 183.57' | | | |
| | | H828-1-5-A | | 946.14 | 286239.43 | 223360.79 | |
| | 5 | | N43°41'-16"W | 285.98' | | | |
| | | H828-1-6 | | 938.32 | 286446.23 | 223163.25 | |
| | 6 | | N87°58'-58"W | 127.00' | | | |
| | | H828-1-6-A | | 935.18 | 286450.70 | 223036.33 | |
| | 6 | | N87°-58'-58"W | 209.89' | | | |
| | | H828-1-6-B | | 944.05 | 286458.09 | 222826.57 | |
| | 6 | | N87°-58'-58"W | 159.20' | | | |
| | | H828-1-7 | | 933.82 | 286463.70 | 222667.47 | |
| | 7 | | N44°-6'-44"W | 469.90' | | | YIELD TO PREV. SURVEY EXIST. STONE |
| | | H828-1-8 H846-1 | | 940.86 | 286801.08 | 222340.39 | AS PER SECTION BREAK DOWN |
| | | | N24°51'-10"W | 366.36 | | | |
| | | H846-1-A | | 944.06 | 287133.51 | 222186.41 | In Sec. 8 |
| | | | | | | | |
| | | | | | | | |
| | | H846-5 | | 934.47 | 287154.22 | 221525.30 | In Sec. 8 |
| | | | S 1°-47'-35"W | 329.97' | | | |
| | | H846-6 | | 937.24 | 286824.41 | 221514.97 | YIELD TO PREV. SURV. EXISTING PIN |
| | 8 | | S 75°-33'-53"W | 222.09' | | | |
| | | H846-6A | | 938.22 | 286769.05 | 221299.89 | |
| | 8 | | S75°-33'-53"W | 271.44' | | | |
| | | H846-7 | | 920.10 | 286701.38 | 221037.03 | AS PER SECTION BK'DN |



SWL FORM 136
REVISED FEB 66

# BOUNDARY SURVEYS
## TABLE ROCK LAKE
## WHITE RIVER, ARKANSAS & MISSOURI

SECTION 17 , T 22N , R 23W COUNTY STONE, MO.

| COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION / DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|
| 9 | | S 1-14-47 W | 161.61 | | | |
| | H846-8 | | – | 286,539.80 | 221,033.51 | |
| 10 | | S 56-00-21 E | 301.70 | | | |
| | H846-8A | | 932.51 | 286,371.12 | 221,283.65 | |
| 10 | | S 56-00-21 E | 279.41 | | | |
| | H846-9 | | 937.26 | 286,214.90 | 221,515.31 | YIELD TO PREV. SURV. EXISTING PIN |
| 11 | | S 88-25-46 E | 339.22 | | | |
| | H846-10 | | 917.14 | 286,205.60 | 221,854.40 | YIELD TO PREV. SURV. EXISTING PIN |
| 12 | | S 01-45-36 W | 103.51 | | | |
| | H846-10A | | 930.17 | 286,102.13 | 221,851.24 | RESET 1977 IN NEW LOCATION |
| 12 | | S 01-44-55 W | 110.85 | | | |
| | H846-10B | | 932.78 | 285,991.33 | 221,847.85 | SET IN 1977 |
| 12 | | S 01-44-55 W | 137.88 | | | |
| | H846-11 | | 929.18 | 285,853.52 | 221,843.65 | AS PER SECTION BK'DN |
| 13 | | S 66-09-05 W | 392.37 | | | |
| | H846-11A | | 940.68 | 285,696.13 | 221,484.23 | |
| 13 | | S 66-09-55 W | 338.85 | | | |
| | H846-12 H828-1-9 | | 947.35 | 285,558.11 | 221,174.77 | YIELD TO PREV SURV. EXISTING PIN |
| 14 | | S 24-36-02 E | 375.30 | | | |
| | H828-1-10 | | 951.70 | 285,216.87 | 221,331.00 | " |
| 15 | | S 87-01-58 E | 213.02 | | | |
| | H828-1-10A | | 946.70 | 285,205.84 | 221,543.74 | YIELD TO PREV. SURV. SET PT. |
| 15 | | S 87-01-58 E | 173.75 | | | |
| | H828-1-10B | | 935.84 | 285,196.85 | 221,717.26 | " |
| 15 | | S 87-01-58 E | 494.37 | | | |
| | H828-1-10C | | 961.23 | 285,171.26 | 222,210.97 | " |
| 15 | | S 87-01-58 E | 101.93 | | | |
| | H828-1-11 | | 961.27 | 285,165.98 | 222,312.76 | YIELD TO PREV. SURV. EXISTING PIN |
| 16 | | S 65-55-32 E | 217.36 | | | |
| | H828-1-11A | | 959.72 | 285,076.54 | 222,510.87 | YIELD TO PREV. SURV. SET PT. |
| 16 | | S 65-55-32 E | 512.39 | | | |
| | H828-1-11B | | 951.17 | 284,867.52 | 222,978.69 | YIELD TO PREV. SURV. EXISTING PIN |
| 16 | | S 65-55-32 E | 159.93 | | | |
| | H828-1-12 | | 941.96 | 284,802.07 | 223,124.61 | " |
| 17 | | S 1-27-44 | 329.59 | | | |
| | H828-1-13 | | 965.37 | 284,472.59 | 223,116.20 | |



SWL FORM 136
REVISED OCT. 1971

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE - MO.

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | 18 | | S65°-49'-36"E | 228.59' | | | |
| | | H828-1-13-A | | 946.95 | 284378.98 | 223324.75 | YIELD TO PREV. SURVEY SET POINT |
| | 18 | | S65°-49'-36"E | 177.57' | | | |
| | | H828-1-13-B | | 948.40 | 284306.26 | 223486.75 | YIELD TO PREV. SURV. SET POINT |
| | 18 | | S65°-49'-36"E | 261.03' | | | |
| | | H828-1-13-C | | 949.04 | 284199.37 | 223724.89 | YIELD TO PREV. SURV. SET POINT |
| | 18 | | S65°-49'-36"E | 102.51' | | | |
| | | H828-1-13-D | | 951.77 | 284157.39 | 223818.41 | YIELD TO PREV. SURV. SET POINT |
| | 18 | | S65°-49'-36"E | 120.24' | | | |
| | | H828-1-14 | | 965.74 | 284108.16 | 223928.10 | YIELD TO PREV. SURV. EXISTING PIN |
| | 19 | | S87°-36'-01"E | 240.11' | | | |
| | | H828-1-14-A | | 973.78 | 284098.04 | 224168.00 | YIELD TO PREV. SURVEY EXISTING PIN |
| | 19 | | S87°-36'-1"E | 219.36' | | | |
| | | H828-1-14-B | | ~~951.94~~ 962.82 | 284088.85 | 224387.17 | YIELD TO PREV. SURVEY SET POINT |
| | 19 | | S87°-36'-01"E | ~~361.96'~~ | | REVISED 12-19-92 DISPOSAL | SEE SHEET 6A OF 14 |
| | | H828-1-15 | | 936.00 | 284074.31 | 224748.83 | YIELD TO PREV. SURVEY SET POINT |
| | 20 | | S38°-40'-05"W | 337.82' | | | |
| | | H828-1-15-A | | 938.46 | 283809.82 | 224538.69 | YIELD TO PREV. SURV. EXISTING PIN |
| | 20 | | S38°-40'-5"W | 323.88' | | | |
| | | H828-1-15-B | | 939.50 | 283556.93 | 224336.32 | |
| | 20 | | S38°-40'-05"W | 157.45' | | | |
| | | H828-1-16 | | 928.67 | 28433.84 | 224238.15 | AS PER SECTION BK'DN. |
| | 21 | | S1°-8'-52"W | 332.84' | | | |
| | | H828-1-17 | | 958.31 | 283101.06 | 224231.48 | |
| | 22 | | S43°-11'-56"E | 282.46' | | | |
| | | H828-1-17-A | | 967.91 | 282895.15 | 224424.83 | |
| | 22 | | S43°-11'-56"E | 184.68' | | | |
| | | H828-1-18 | | 972.41 | 282760.53 | 224551.25 | |
| | 23 | | S88°-01'-17"E | 73.74' | | | FOUND IRON PIN |
| | | H828-1-18-A | | 964.83 | 282757.98 | 224624.95 | |
| | 23 | | S87°-41'-18"E | 255.32' | | | |
| | | H828-1-19 F637-1 | | 939.99 | 282747.68 | 224880.06 | YIELD TO PREV. SURV. EXISTING PIN |
| | 24 | | S1°-18'-8"W | 290.89' | | | |
| | | F637-2 | | 956.80 | 282456.87 | 224873.45 | YIELD TO PREV. SURV. EXISTING PIN |



SWL FORM 136
REVISED FEB 66

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE-MO.

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | | S88°-37'-39"E | 244.12' | | | |
| | | F637-2-A | | 952.86 | 282451.02 | 225117.50 | In Sec. 16 |
| | | | | | | | |
| | | | | | | | |
| | | F637-4B | | 933.82 | 282125.35 | 224973.24 | In Sec. 16 |
| | | | N88°-27'-49"W | 107.94' | | | |
| | | F637-5<br>H830-1 | | 924.38 | 282128.24 | 224865.34 | YIELD TO PREV. SURV. EXISTING PIN |
| | 25 | | N88°-27'-49"W | 230.24' | | | |
| | | H830-2<br>H831-1 | | 938.08 | 282134.42 | 224635.18 | YIELD TO PREV. SURV. SET PT. |
| | 26 | | S45°-59'-10"W | 233.85' | | | |
| | | H831-2<br>H832-1 | | 939.71 | 281971.93 | 224467.00 | YIELD TO PREV. SURV. EXISTING PIN |
| | 27 | | N88°-38'-24"W | 230.32' | | | |
| | | H832-2<br>H833-1 | | 931.20 | 281977.39 | 224236.74 | POINT NOT SET (BY REQUEST OF PROP. OWNER) |
| | 28 | | N88°-38'-24"W | 165.50' | | | |
| | | H833-2 | | 934.20 | 281981.32 | 224071.29 | YIELD TO PREV. SURV. EXISTING PIN |
| | 29 | | S0°-18'-28"W | 168.53' | | | |
| | | H833-3<br>H834-1 | | 936.54 | 281812.80 | 224070.38 | " |
| | 30 | | N89°-22'-18"W | 159.09' | | | |
| | | H834-2<br>H835-1-1 | | 954.13 | 281814.54 | 223911.30 | " |
| | 31 | | S89°-9'-5"W | 303.34' | | | |
| | | H835-1-2<br>H836-1-1 | | 994.01 | 281810.05 | 223608.00 | " |
| | 32 | | N89°-33'-31"W | 90.02' | | | |
| | | H836-1-1-A | | 997.83 | 281810.74 | 223517.98 | |
| | 32 | | N89°-33'-31"W | 145.00' | | | |
| | | H837-1-1 | | 980.53 | 281811.86 | 223372.99 | AS PER SECTION BK'DN. |
| | 33 | | S46°-41'-27"W | 232.36' | | | |
| | | H837-1-2<br>H838-1-1 | | 970.57 | 281652.47 | 223203.90 | |
| | 34 | | S46°-40'-15"W | 97.64' | | | |
| | | H838-1-1-A | | 959.07 | 281585.47 | 223132.87 | |
| | 34 | | S46°-40'-15"W | 134.79' | | | |
| | | H838-1-2<br>H828-2-1<br>H839-1 | | 912.42 | 281492.97 | 223034.83 | |
| | 35 | | N1°-37'-16"E | 86.53' | | | |
| | | H839-1-A | | 939.79 | 281579.47 | 223037.28 | |
| | 35 | | N1°-37'-16"E | 79.20' | | | |



SWL FORM 136
REVISED FEB 66

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE - MO.

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | H839-2<br>H838-2-1 | | 942.25 | 281658.64 | 223039.51 | AS PER SECTION BK'DN. |
| | 36 | | N46°-39'-21"E | 232.44' | | | |
| | | H838-2-2<br>H837-2-1 | | 951.09 | 281818.18 | 223208.55 | " |
| | 37 | | N46°-40'-18"E | 232.36' | | | |
| | | H837-2-2<br>H836-2-1 | | 953.16 | 281977.62 | 223377.57 | " |
| | 38 | | N56°-9'-12"E | 288.08' | | | |
| | | H836-2-2<br>H835-2-1 | | 957.06 | 282138.07 | 223616.83 | YIELD TO PREV. SURV. EXISTING PIN |
| | 39 | | N25°-42'-6"E | 362.33' | | | |
| | | H835-2-2 | | 956.10 | 282464.55 | 223773.97 | " |
| | 40 | | N1°-17'-47"E | 165.10' | | | |
| | | H835-2-3 | | 951.76 | 282629.61 | 223777.70 | " |
| | 41 | | N89°-29'-26"W | 151.49' | | | |
| | | H835-2-4<br>H836-2-3 | | 920.54 | 282630.96 | 223626.22 | YIELD TO PREV. SURVEY SET POINT |
| | 42 | | S56°-16'-57"W | 93.48' | | | |
| | | H836-2-3-A | | 925.65 | 282579.07 | 223548.46 | |
| | 42 | | S56°-16'-57"W | 188.71' | | | |
| | | H836-2-4<br>H837-2-3 | | 918.17 | 282474.32 | 223391.50 | AS PER SECTION BK'DN. |
| | 43 | | N87°-48'-0"W | 164.48' | | | |
| | | H837-2-4<br>H838-2-3 | | 922.15 | 282480.63 | 223227.14 | " |
| | 44 | | N87°-48'-0"W | 164.48' | | | |
| | | H838-2-4<br>H839-2-3 | | 920.07 | 282486.95 | 223062.78 | " |
| | 45 | | N42°-52'-36"W | 234.72' | | | |
| | | H839-2-4<br>H840-1 | | 932.37 | 282658.96 | 222903.07 | " |
| | 46 | | N2°-0'-59"E | 171.46' | | | |
| | | H840-2<br>H828-2-2 | | 945.14 | 282830.31 | 222909.10 | YIELD TO PREV. SURV. EXISTING PIN |
| | 47 | | N24°-45'-37"W | 99.85' | | | |
| | | H828-2-2-A | | 940.79 | 282920.83 | 222866.96 | " |
| | 47 | | REVISED. SEE SHEET 6A. | | | | |
| | | H828-2-2-B | | 935.47 | 283048.10 | 222808.11 | " |
| | 47 | | N24°-45'-37"W | 60.08' | | | |
| | | H828-2-2-C | | 936.93 | 283102.66 | 222782.95 | " |
| | 47 | | N24°-45'-37"W | 119.80' | | | |
| | | H828-2-2-D | | 938.68 | 283211.45 | 222732.78 | " |
| | 47 | | N24°-45'-37"W | 59.93' | | | |



SWL FORM 136
REVISED FEB 66

# BOUNDARY SURVEYS
# TABLE ROCK LAKE
# WHITE RIVER, ARKANSAS & MISSOURI

SECTION 17 , T 22N , R 23W COUNTY STONE, MO.

| COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|
| 47 | | | | | | |
| | H828-2-2A | | 940.79 | 282,920.83 | 222,866.96 | TYPE III |
| 47 | | N 24.45.37W | 61.50 | | | |
| | H828-2-2A-1 | | | 282,976.74 | 222,841.11 | ( " ) |
| 47 | | S 65.14.23W | 10.00 | | | |
| | H828-2-2A-2 | | | 282,972.55 | 222,832.03 | ( " ) |
| 47 | | N 24-45-37W | 46.00 | | | |
| | H828-2-2A-3 | | | 283,014.37 | 222,812.70 | ( " ) |
| 47 | | N 65-14-23E | 10.00 | | | |
| | H828-2-2A4 | | | 283,018.56 | 222,821.78 | ( " ) |
| 47 | | N 24.45-37W | 32.50 | | | |
| | H828-2-2B | | | 283,048.10 | 222,808.11 | TYPE III |
| | | | | | | |
| | COURSE 19 REVISED 12-19-92 TO SHOW R. E. ROURKE DISPOSAL | | | | | BK 91TR-1 |
| | H825-1-14B | | 962.82 | 284,088.85 | 224,387.17 | TYPE III |
| 19 | | S 87-38-20 E | 198.95 | | | |
| | H825-1-14C | | 945.32 | 284,081.03 | 224,585.97 | TYPE III SET 12-19-92 |
| 19-1 | | N 62-49-16 E | 41.38 | | | |
| | H825-1-14C-1 | | 942.80 | 284,099.93 | 224,622.78 | TYPE III SET 12-19-92 |
| 19 | | S 78-30-49 E | 128.63 | | | |
| | H825-1-15 | | 936.00 | 284,074.31 | 224,748.83 | TYPE III |

SHEET 6A OF 14

SWL FORM 136
REVISED OCT. 1971

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE-MO.

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | H828-2-2-E | | 941.81 | 283265.86 | 222707.67 | YIELD TO PREV. SURV. EXISTING PIN |
| | 47 | | N24°45'-37"W | 60.18' | | | |
| | | H828-2-2-F | | 942.43 | 283320.50 | 222682.45 | " |
| | 47 | | N24°45'-37"W | 120.05' | | | |
| | | H828-2-2-G | | 946.35 | 283429.21 | 222631.51 | " |
| | 47 | | N24°45'-37"W | 82.01' | | | |
| | | H828-2-3 | | 950.83 | 283503.67 | 222597.16 | " |
| | 48 | | N87°37'-49"W | 164.26' | | | |
| | | H828-2-3-A | | 935.21 | 283510.34 | 222433.03 | " |
| | 48 | | N87°37'-49"W | 110.02' | | | |
| | | H828-2-3-B | | 958.22 | 283514.92 | 222323.11 | " |
| | 48 | | N87°37'-49"W | 54.42' | | | |
| | | H828-2-4 | | 967.11 | 283517.17 | 222268.74 | |
| | 49 | | S1°30'-40"W | 169.25' | | | |
| | | H828-2-5 | | 958.17 | 283347.98 | 222264.28 | |
| | 50 | | N87°41'-43"W | 195.50' | | | |
| | | H828-2-5-A | | 963.77 | 283355.84 | 222068.94 | |
| | 50 | | N87°41'-43"W | 466.56' | | | |
| | | H828-2-5-B | | 956.51 | 283374.60 | 221602.75 | |
| | 50 | | N87°41'-43"W | 323.79' | | | |
| | | H828-2-6 | | 956.60 | 283387.62 | 221279.22 | AS PER SECTION BK'DN. |
| | 51 | | S1°38'-42"W | 305.03' | | | |
| | | H828-2-7 | | 970.36 | 283082.72 | 221270.47 | YIELD TO PREV. SURV. SET PT. |
| | 52 | | S51°11'-7"E | 182.38' | | | |
| | | H828-2-7-A | | 960.44 | 282968.40 | 221412.58 | " |
| | 52 | | S51°11'-7"E | 86.01' | | | |
| | | H828-2-7-B | | 953.98 | 282914.49 | 221479.59 | YIELD TO PREV. SURV. EXISTING PIN |
| | 52 | | S51°11'-7"E | 550.16' | | | |
| | | H828-2-8 | | 936.96 | 282569.65 | 221908.26 | " |
| | 53 | | S1°56'-55"W | 199.84' | | | |
| | | H828-2-8-A | | 945.88 | 282369.93 | 221901.51 | " |
| | 53 | | S1°56'-55"W | 129.86' | | | |
| | | H828-2-9 | | 939.34 | 282240.14 | 221896.07 | " |
| | 54 | | S46°56'-25"W | 243.67' | | | |



SWL FORM 136
REVISED FEB 66

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE - MO.

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | H828-2-9A | | 935.45 | 282073.73 | 221719.07 | YIELD TO PREV. SURVEY EXIST PIN |
| | 54 | | S46°-56'-25"W | 456.08' | | | |
| | | H828-2-10 | | 949.56 | 281762.42 | 221385.76 | " |
| | 55 | | S43°-3'-28"E | 233.02' | | | |
| | | H828-2-11 | | 933.98 | 281592.16 | 221544.85 | " |
| | | | S1°-58'-42"W | 220.27' | | | |
| | | H828-2-11A | | 957.14 | 281372.02 | 221537.25 | In Sec. 20 |
| | | | | | | | |
| | | | | | | | |
| | | H828-2-13A | | 936.63 | 281498.99 | 221046.52 | In Sec. 20 |
| | | | N1°-57'- 'E | 109.98' | | | |
| | | H828-2-14 | | 928.55 | 281608.90 | 221050.27 | YIELD TO PREV. SURVEY EXIST. PIN |
| | 56 | | N46°-57'-42"E | 233.10' | | | |
| | | H828-2-15 | | 941.14 | 281767.99 | 221220.65 | |
| | 57 | | N12°-4'-9"W | 627.66' | | | |
| | | H828-2-15A | | 955.02 | 282381.78 | 221089.41 | |
| | 57 | | N12°-4'-9"W | 358.35' | | | |
| | | H828-2-15B | | 952.86 | 282732.22 | 221014.53 | |
| | 57 | | N12°-4'-9"W | 343.88' | | | |
| | | H828-2-16 | | 951.38 | 283068.20 | 220941.25 | AS PER SECTION BREAK DOWN |
| | 58 | | N42°-39'-43"W | 235.15' | | | |
| | | H828-2-16A | | 953.05 | 283241.11 | 220781.90 | " |
| | 58 | | N42°-39'-43"W | 235.15' | | | |
| | | H828-2-17 | | 950.29 | 283414.03 | 220622.55 | " |
| | 59 | | N87°-41'-16"W | 189.46' | | | |
| | | H828-2-17A | | 947.24 | 283421.68 | 220433.24 | " |
| | 59 | | N87°-41'-16"W | 139.16' | | | |
| | | H828-2-18 | | 964.72 | 283427.29 | 220294.19 | " |
| | 60 | | S1°-41'-11"W | 83.26' | | | |
| | | H828-2-18A | | — | 283344.07 | 220291.74 | " |
| | 60 | | S1°-41'-11"W | 83.31' | | | |
| | | H828-2-19 H845-1 | | 947.13 | 283260.80 | 220289.29 | " |
| | 61 | | N60°-8'-37"W | 190.26' | | | |
| | | H845-1A | | 955.70 | 283355.51 | 220124.28 | " |



SWL FORM 136

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE - MO.

| TRACT NO. | COURSE NO. | MONUMENT NO | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | 61 | | N60°-8'-37"W | 218.76' | | | |
| | | H845-1B | | 953.15 | 283464.42 | 219934.55 | |
| | 61 | | N60°-8'-37"W | 175.04' | | | |
| | | H845-1C | | 951.32 | 283551.56 | 219782.74 | |
| | 61 | | N60°-8'-37"W | 155.72' | | | |
| | | H845-2<br>H849-1-1 | | 955.24 | 283629.08 | 219647.69 | YIELD TO PREV. SURVEY EXISTING PIN |
| | | | N89°-15'-26"W | 247.74' | | | |
| | | H849-1-1A | | 941.96 | 283632.29 | 219399.97 | YIELD TO PREV. SURVEY SET POINT |
| | | | N89°-15'-26"W | 73.80' | | | |
| | | H849-1-2 | | 957.39 | 283633.25 | 219326.18 | In Sec. 18 |
| | | | | | | | |
| | | | | | | | |
| | | H849-1-2B | | 958.95 | 283089.93 | 219591.81 | In Sec. 18 |
| | | | S26°-3'-16"E | 132.77' | | | |
| | | H849-1-3<br>H845-3 | | 970.24 | 282970.65 | 219650.13 | YIELD TO PREV. SURVEY EXIST. PIN |
| | 62 | | S89°-19'-48"E | 160.11' | | | |
| | | H845-4<br>H828-2-20 | | 942.05 | 282968.78 | 219810.23 | YIELD TO PREV. SURVEY FENCE COR. |
| | 63 | | S23°-56'-39"E | 161.97' | | | |
| | | H828-2-20A | | 947.50 | 282820.75 | 219875.96 | YIELD TO PREV. SURVEY SET POINT |
| | 63 | | S23°-56'-39"E | 201.27' | | | |
| | | H828-2-21 | | 943.88 | 282636.81 | 219957.64 | YIELD TO PREV. SURVEY FENCE COR. |
| | 64 | | S2°-58'-21"W | 248.10' | | | |
| | | H828-2-21A | | 960.52 | 282389.04 | 219944.78 | YIELD TO PREV. SURVEY SET POINT |
| | 64 | | S2°-58'-21"W | 149.83' | | | |
| | | H828-2-21B | | 959.67 | 282239.42 | 219937.01 | " |
| | 64 | | S2°-58'-21"W | 97.79' | | | |
| | | H828-2-22 | | 951.61 | 282141.76 | 219931.94 | YIELD TO PREV. SURVEY FENCE COR. |
| | 65 | | N88°-24'-14"W | 334.71' | | | |
| | | H828-2-23<br>H867-2-1 | | 960.10 | 282151.08 | 219597.35 | YIELD TO PREV. SURVEY EXIST PIN |
| | | | N89°-18'-34"W | 325.07' | | | |
| | | H867-2-2 | | 954.96 | 282155.00 | 219272.31 | In Sec. 18 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



SWL FORM 136
REVISED FEB 66

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE — MO.

**AS PER SECTION BREAK DOWN**

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | H827-12 | | | 287242.14 | 224012.17 | |
| | | | S43°12'29"E | 703.44' | | | |
| | | H827-13<br>H828-1-1 | | | 286729.42 | 224493.88 | |
| | 1 | | S01°29'12"W | 494.80' | | | |
| | | H828-1-2 | | | 286234.79 | 224481.05 | |
| | 2 | | S24°55'06"E | 370.53' | | | |
| | | H828-1-3 | | | 285898.75 | 224637.16 | |
| | 3 | | S01°33'11"W | 165.09' | | | |
| | | H828-1-4 | | | 285733.72 | 224632.69 | |
| | 4 | | N71°57'32"W | 1204.32' | | | |
| | | H828-1-5 | | | 286106.69 | 223487.58 | |
| | 5 | | N43°41'16"W | 469.55' | | | |
| | | H828-1-6 | | | 286446.23 | 223163.25 | |
| | 6 | | N87°58'58"W | 496.09' | | | |
| | | H828-1-7 | | | 286463.70 | 222667.47 | |
| | 7 | | N44°06'49"W | 469.91' | | | |
| | | H828-1-8<br>H846-1 | | | 286801.07 | 222340.38 | |
| | | | N24°08'10"W | 1112.66' | | | |
| | | H846-2 | | | 287816.46 | 221885.41 | |
| | | | — | — | | | |
| | | — | | | — | — | |
| | | | — | — | | | |
| | | H846-5 | | | 287170.31 | 221538.65 | |
| | | | S01°50'52"W | 330.74' | | | |
| | | H846-6 | | | 286839.75 | 221527.98 | |
| | 8 | | S74°15'37"W | 510.08' | | | |
| | | H846-7 | | | 286701.38 | 221037.03 | |
| | 9 | | S01°14'47"W | 161.16' | | | |
| | | H846-8 | | | 286539.80 | 221033.51 | |
| | 10 | | S54°12'39"E | 595.57' | | | |
| | | H846-9 | | | 286191.51 | 221516.63 | |
| | 11 | | S87°03'49"E | 327.19' | | | |
| | | H846-10 | | | 286174.75 | 221843.39 | |
| | 12 | | S00°50'34"W | 324.80' | | | |

SHEET 10 of 14

SWL FORM 136
REVISED FEB 66

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE-MO.

AS PER SECTION BREAK DOWN

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | H846-11 | | | 285849.99 | 221838.61 | |
| | 13 | | N76°28'36"E | 2721.51' | | | |
| | | H846-12<br>H828-1-9 | | | 285,561.33 | 221,176.71 | |
| | 14 | | S68°06'04"W | 3398.37' | | | |
| | | H828-1-10 | | | 285218.90 | 221331.51 | |
| | 15 | | S87°02'30"E | 986.71' | | | |
| | | H828-1-11 | | | 285167.97 | 222316.91 | |
| | 16 | | S65°48'15"E | 888.69' | | | |
| | | H828-1-12 | | | 284803.73 | 223127.53 | |
| | 17 | | S01°41'34"W | 330.48' | | | |
| | | H828-1-13 | | | 284473.40 | 223117.77 | |
| | 18 | | S65°46'38"E | 888.91' | | | |
| | | H828-1-14 | | | 284108.69 | 223928.42 | |
| | 19 | | S87°36'02"E | 821.13' | | | |
| | | H828-1-15 | | | 284074.31 | 224748.83 | |
| | 20 | | S38°30'10"W | 818.02' | | | |
| | | H828-1-16 | | | 283434.15 | 224239.57 | |
| | 21 | | S01°28'35"W | 330.51' | | | |
| | | H828-1-17 | | | 283103.75 | 224231.06 | |
| | 22 | | S43°00'44"E | 469.39' | | | |
| | | H828-1-18 | | | 282760.53 | 224551.25 | |
| | 23 | | S87°45'55"E | 328.96' | | | |
| | | H828-1-19<br>F637-1 | | | 282747.70 | 224879.96 | |
| | 24 | | S01°35'57"W | 330.33' | | | |
| | | F637-2 | | | 282417.49 | 224870.74 | |
| | | | S87°47'41"E | 660.67' | | | |
| | | F637-3 | | | 282392.07 | 225530.92 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | F637-4 | | | 282062.28 | 225521.72 | |
| | | | N87°49'51"W | 660.67' | | | |
| | | F637-5<br>H830-1 | | | 282087.29 | 224861.53 | |
| | 25 | | N87°50'04"W | 230.22' | | | |

SHEET 11 of 14

SWL FORM 136
REVISED FEB. 66

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE—MO.

AS PER SECTION BREAK DOWN

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | H830-2 H831-1 | | | 282095.98 | 224631.47 | |
| | 26 | | S46°44'48"W | 232.05' | | | |
| | | H831-2 H832-1 | | | 281936.98 | 224462.47 | |
| | 27 | | N87°51'06"W | 230.30' | | | |
| | | H832-2 H833-1 | | | 281945.61 | 224232.33 | |
| | 28 | | N87°51'06"W | 164.50' | | | |
| | | H833-2 | | | 281951.78 | 224067.95 | |
| | 29 | | S01°36'16"W | 165.41' | | | |
| | | H833-3 H834-1 | | | 281786.44 | 224063.31 | |
| | 30 | | N87°52'08"W | 164.50' | | | |
| | | H834-2 H835-1-1 | | | 281792.55 | 223898.93 | |
| | 31 | | N87°52'08"W | 296.09' | | | |
| | | H835-1-2 H836-1-1 | | | 281803.57 | 223603.04 | |
| | 32 | | N87°52'08"W | 230.26' | | | |
| | | H837-1-1 | | | 281812.13 | 223372.94 | |
| | 33 | | S46°39'46"W | 232.38' | | | |
| | | H837-1-2 H838-1-1 | | | 281652.65 | 223203.93 | |
| | 34 | | S46°38'46"W | 232.45' | | | |
| | | H838-1-2 H839-1 | | | 281493.07 | 223034.90 | |
| | 35 | | N01°36'24"E | 165.71' | | | |
| | | H839-2 H838-2-1 | | | 281658.72 | 223039.55 | |
| | 36 | | N46°39'16"E | 232.42' | | | |
| | | H838-2-2 H837-2-1 | | | 281818.25 | 223208.57 | |
| | 37 | | N46°40'17"E | 232.34' | | | |
| | | H837-2-2 H836-2-1 | | | 281977.68 | 223377.58 | |
| | 38 | | N56°14'56"E | 282.31' | | | |
| | | H836-2-2 H835-2-1 | | | 282134.52 | 223612.31 | |
| | 39 | | N26°00'36"E | 361.87' | | | |
| | | H835-2-2 | | | 282459.74 | 223771.00 | |
| | 40 | | N01°36'28"E | 165.50' | | | |
| | | H835-2-3 | | | 282625.17 | 223775.64 | |
| | 41 | | N87°46'58"W | 149.54' | | | |
| | | H835-2-4 H836-2-3 | | | 282630.96 | 223626.22 | |
| | 42 | | S56°16'57"W | 282.18' | | | |

SHEET 12 of 14

SWL FORM 136
REVISED FEB 66

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE-MO.

AS PER SECTION BREAK DOWN

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | H835-2-4 H836-2-3 | | | 282630.96 | 223626.22 | |
| | 42 | | S56°16'57"W | 282.18' | | | |
| | | H836-2-4 H837-2-3 | | | 282474.32 | 223391.50 | |
| | 43 | | N87°48'00"W | 164.48' | | | |
| | | H837-2-4 H838-2-3 | | | 282480.63 | 223227.14 | |
| | 44 | | N87°48'00"W | 164.48' | | | |
| | | H838-2-4 H839-2-3 | | | 282486.95 | 223062.78 | |
| | 45 | | N42°52'36"W | 234.72' | | | |
| | | H839-2-4 H840-1 | | | 282658.96 | 222903.07 | |
| | 46 | | N01°36'26"E | 165.76' | | | |
| | | H840-2 H828-2-2 | | | 282824.65 | 222907.72 | |
| | 47 | | N24°39'39"W | 743.77' | | | |
| | | H828-2-3 | | | 283500.58 | 222597.38 | |
| | 48 | | N87°40'59"W | 328.71' | | | |
| | | H828-2-4 | | | 283513.87 | 222268.95 | |
| | 49 | | S01°36'39"W | 165.96' | | | |
| | | H828-2-5 | | | 283347.98 | 222264.28 | |
| | 50 | | N87°41'43"W | 985.85' | | | |
| | | H828-2-6 | | | 283387.62 | 221279.22 | |
| | 51 | | S01°38'42"W | 332.56' | | | |
| | | H828-2-7 | | | 283055.20 | 221269.68 | |
| | 52 | | S50°48'42"E | 829.28' | | | |
| | | H828-2-8 | | | 282531.20 | 221912.43 | |
| | 53 | | S01°37'17"W | 332.13' | | | |
| | | H828-2-9 | | | 282199.20 | 221903.04 | |
| | 54 | | S46°35'25"W | 698.16' | | | |
| | | H828-2-10 | | | 281719.41 | 221395.85 | |
| | 55 | | S42°50'00"E | 234.79' | | | |
| | | H828-2-11 | | | 281547.24 | 221555.48 | |

SHEET 13 of 14

SWL FORM 136
REVISED FEB 66

# PARTIAL BOUNDARY SURVEY
# TABLE ROCK LAKE
# WHITE RIVER, ARK. AND MO.

SEC. 17, T-22-N, R-23-W COUNTY STONE – MO.

AS PER SECTION BREAK DOWN

| TRACT NO. | COURSE NO. | MONUMENT NO. | GRID BEARING | ELEVATION DISTANCE | POSITION NORTH | POSITION EAST | REMARKS |
|---|---|---|---|---|---|---|---|
| | | H828-2-13 | | | 281235.48 | 221052.70 | |
| | | | N01°40'27"E | 329.96' | | | |
| | | H828-2-14 | | | 281565.29 | 221062.34 | |
| | 56 | | N46°33'30"E | 232.97' | | | |
| | | H828-2-15 | | | 281725.49 | 221231.49 | |
| | 57 | | N12°11'50"W | 1373.72' | | | |
| | | H828-2-16 | | | 283068.20 | 220941.25 | |
| | 58 | | N42°39'46"W | 470.33' | | | |
| | | H828-2-17 | | | 283414.05 | 220622.52 | |
| | 59 | | N87°41'44"W | 328.62' | | | |
| | | H828-2-18 | | | 283427.27 | 220294.17 | |
| | 60 | | S01°40'49"W | 166.61' | | | |
| | | H828-2-19<br>H845-1 | | | 283260.73 | 220289.28 | |
| | 61 | | N60°55'19"W | 740.15' | | | |
| | | H845-2<br>H849-1-1 | | | 283620.45 | 219642.42 | |
| | | | N88°48'59"W | 326.61' | | | |
| | | H849-1-2 | | | 283627.19 | 219315.88 | |
| | | | — | — | | | |
| | | — | | | — | — | |
| | | | — | — | | | |
| | | H849-1-2 | | | 283627.19 | 219315.88 | |
| | | | S24°28'36"E | 740.27' | | | |
| | | H849-1-3<br>H845-3 | | | 282953.45 | 219622.59 | |
| | 62 | | S87°45'07"E | 164.36' | | | |
| | | H845-4<br>H828-2-20 | | | 282947.00 | 219786.82 | |
| | 63 | | S24°26'21"E | 373.17' | | | |
| | | H828-2-21 | | | 282607.27 | 219941.20 | |
| | 64 | | S01°41'31"W | 500.14' | | | |
| | | H822-2-22 | | | 282107.35 | 219926.44 | |
| | 65 | | N87°50'48"W | 328.88' | | | |
| | | H828-2-23<br>H867-2-1 | | | 282119.71 | 219597.79 | |
| | | | N88°07'55"W | 326.05' | | | |
| | | H867-2-2 | | | 282130.33 | 219271.92 | |
| | | | | | | | |



SWL FORM 136
REVISED FEB 66