BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, ARKANSAS & MISSOURI
AREA 22
CONTRACT NO. DACW03-79-C-0015

SECTION 19, T 22N, R 24W COUNTY STONE



FULL SECTION APPROXIMATE SCALE 1:12,000

COURSE 5 REVISED JAN 82 TO REFLECT A DISPOSAL

COURSE 7 REVISED JUNE 81 TO REFLECT DISPOSAL

COURSES 17-23 SURVEYED BY Col E. BKS 69TR-1, 2, 3.

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	DD 3007-1		946.71	277946.47	187796.43	T-3
1		N42°23'20" W	179.14			
	DD 3007-1A		945.44	278078.81	187675.66	T-3
1		N42°23'20" W	284.25			
	DD 3007-2		937.06	278288.80	187484.02	T-3
2		N 2°45'49" E	231.79			
	DD 3007-2A		940.77	278520.36	187495.19	T-3
2		N 2°45'49" E	427.93			

CERTIFICATE OF SURVEY

I HEREBY CERTIFY THAT THE ABOVE PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE SURVEY MADE IN SECTION 19 T 22N R 24W

STONE COUNTY,

James L. Anderson SURVEYOR

782 REG. NO.

STATE OF MISSOURI JAMES L. ANDERSON LS-782 LAND SURVEYOR

Field Book No. 81-TR-1 JUNE 81; 79-TR-6; 79-TR-4 Date: MAY 1979; MARCH 1979

PREPARED BY
ANDERSON ENGINEERING, INC.
FOR
U. S. ARMY ENGINEER DISTRICT, LITTLE ROCK
CORPS OF ENGINEERS

SHEET 1 OF 5

GN MN 5¾°

LEGEND
- ▲ MONUMENT TYPE 1
- △ MONUMENT TYPE 2
- ● FOUND I. P.
- ○ SET I. P.
- ■ FOUND STONE
- □ COMPUTED CORNER
- ✳ OTHER

BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, ARKANSAS & MISSOURI

AREA 22
CONTRACT NO. DACW03-79-C-0015

SECTION 19 , T 22N , R 24W COUNTY STONE

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	DD 3008-1		943.23	278947.87	187515.80	T-3
3		N 15° 45' 06" W	325.15			
	DD 3008-1A		949.49	279260.87	187427.53	T-3
3		N 15° 45' 06" W	193.62			
	DD 3008-2		951.37	279447.25	187374.96	T-3
4		N 87° 22' 47" W	330.84			
	DD 3008-3		941.60	279462.44	187044.45	T-3
5		S 21° 23' 11" W	244.67			
	DD 3008-3A		941.04	279234.66	186955.22	T-3
5		S 21° 23' 11" W	~~274.23~~			REVISED JAN 82 TO REFLECT DISPOSAL SEE SHEET 4 OF 5
	DD 3007-4		943.36	278979.36	186855.22	T-3
6		S 2° 32' 08" W	331.93			
	DD 3007-5		927.20	278647.81	186840.52	T-1
7		N 87° 24' 47" W	141.26			
	DD 3007-5A		937.68	278654.18	186699.40	T-1
7		N 87° 24' 47" W	~~188.60~~			REVISED JUNE 81 TO REFLECT DISPOSAL SEE SHEET 4 OF 5
	DD 3007-6		933.81	278662.69	186511.00	T-3
8		N 24° 00' 29" W	369.33			
	DD 3009-2-1		952.24	279000.06	186360.73	T-3
9		N 35° 36' 14" W	64.48			
	DD 3009-2-1A		953.64	279052.49	186323.19	T-3 YIELD R. R. SPIKE
10		N 28° 48' 04" W	298.37			
	DD 3009-2-1B		959.71	279313.94	186179.45	T-3
10		N 28° 48' 04" W	292.78			
	DD 3009-2-1C		953.42	279570.49	186038.39	T-3
10		N 28° 48' 04" W	290.25			
	DD 3009-2-2		946.03	279824.83	185898.56	T-3 YIELD R. R. SPIKE
11		N 46° 57' 14" E	197.46			
	DD 3009-2-2A		942.86	279959.61	186042.87	T-3
11		N 46° 57' 14" E	35.88			
	DD 3009-2-3		936.88	279984.10	186069.09	T-3 YIELD R. R. SPIKE
12		N 42° 58' 46" W	232.83			
	DD 3009-2-4		943.01	280154.43	185910.36	T-3 YIELD R. R. SPIKE
13		N 19° 34' 40" W	399.93			
	DD 3009-2-4A		951.49	280531.23	185776.35	T-3
13		N 19° 34' 40" W	197.28			
	DD 3009-2-4B		952.96	280717.10	185710.24	T-3
13		N 19° 34' 40" W	290.79			
	DD 3009-2-5		962.63	280991.07	185612.80	T-3 YIELD R. R. SPIKE

SWL FORM 136

BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, ARKANSAS & MISSOURI

SECTION 19 , T 22N , R 24 W COUNTY STONE

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
14		N87·48·21W	219.87			
	3009·2·5A		933.30	280999.48	185393.10	T·3
14		N87·48·21W	273.88			
	3009·2·6		941.84	281009.96	185119.42	YIELD T·3 R.R. SPIKE
15		S24·30·22E	369.39			
	3009·2·7		946.54	280673.83	185272.64	YIELD T·3 R.R. SPIKE
16		S 7·29·40E	345.10			
	3009·2·7A		946.00	280332.54 280331.67	185319.04 185317.65	C OF E ANDERSON T-3
17		S 07·20·58E	496.75			
	3009·2·7B		938.35	279839.87	185382.58	T-3 By Cope
17		S07·23·01E	162.06			
	3009·2·8		926.70	279679.16	185403.40	T·3
18		S02·03·17W	440.31			
	3009·2·8A		935.66	279239.12	185387.62	"
18		S02·03·21W	220.06			
	3009·2·9= 3007-8		935.97	279019.19	185379.72	"
19		S31·31·18E	576.71			
	3007·9		930.94	278510.59	185691.66	"
20		S24·26·50E	739.27			
	3007-10		934.06	277837.66	185997.58	"
21		S87·46·01E	165.03			
	3007-11		929.69	277831.24	186162.44	"
22		S42·51·14E	233.63			
	3007·12= 3009·1-1		925.73	277659.99	186321.31	"
	3011·1-1 3009·1-11=		944.02	277744.20	184177.29	T·3
23		N87·33·49W	330.25			
	3009·1·12= 3011-1-2		944.48	277758.24	183847.26	" STONE
24		N02·03·28E	195.09			
	3011-1-2A		952.17	277953.22	183854.26	"
24		N02·03·28E	383.87			
	3011-1-2B		953.57	278336.84	183868.04	"
24		N02·03·28E	300.00			
	3011-1-2C		950.20	278636.65	183878.80	"
24		N02·03·28E	246.97			
	3011-1-2D		955.46	278883.46	183887.66	"
24		N02·03·28E	193.67			
	3011-1-3		954.39	279077.01	183894.61	" STONE

SHEET 3 OF 5

SWL FORM 136
REVISED OCT. 1971

BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, ARKANSAS & MISSOURI

SECTION 19 , T 22N , R 24W COUNTY STONE

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
25		N 42 25 51 W	209.59			
	3011-1-3A		931.28	279231.70	183753.20	T-3
25		N 42 25 51 W	269.86			
	3011-1-4		938.22	279430.89	183571.12	"
26		S 48 01 29 W	100.75			
	3011-1-4A		924.06	279363.50	183496.21	"
26		S 48 01 29 W	366.31			
	3011-1-5		947.91	279118.51	183223.88	"
27		S 02 04 52 W	217.17			
	3011-1-5A		943.21	278901.49	183215.99	"
27		S 02 04 52 W	277.19			
	3011-1-6		937.59	278624.48	183205.92	"
28		S 34 08 33 W	462.22			
	3011-1-6A		938.41	278241.93	182946.50	"
28		S 34 08 33 W	493.44			
	3011-1-7		930.52	277833.40	182669.46	
		COURSE 7 REVISED JUNE 1981 TO REFLECT DISPOSAL				
7						
	DD 3007-5A			278 654.18	186 699.40	T-1
7-1		S 74-51-48 W	54.28			
	DD 3007-5A-1			278 640.01	186 647.00	T-3 SET JUNE 81
7-2		N 10-39-18 W	16.98			
	DD 3007-5B			278 656.69	186 643.86	T-3 SET JUNE 81 0.15 N 87-24-47 W TRUE LOCATION BECAUSE AIRSCRUTTON
7		N 87-24-47 W	133.00			
	DD 3007-6			278 662.70	186 510.99	T-3
		COURSE 5 REVISED JAN 1982 TO REFLECT DISPOSAL				
5						
	DD 3008-3A		941.04	279,234.66	186,955.22	TYPE-III (OLD)
5		S 21-23-11 W	48.02			
	DD 3008-3B		944.61	279,189.95	186,937.71	TYPE III SET JAN 82
5-1		S 44-10-30 E	28.00			
	DD 3008-3B-1		941.98	279,169.87	186,957.22	TYPE III SET JAN 82
5-2		S 45-50-07 W	61.60			
	DD 3008-3C		943.98	279,126.95	186,913.03	TYPE III SET JAN 82
5		S 21-23-11 W	158.55			
	DD 3007-4		943.36	278,979.36	186,855.22	TYPE III (OLD)

SHEET 4 OF 5

SWL FORM 136
REVISED OCT. 1971

BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, ARKANSAS & MISSOURI

AREA 22
CONTRACT NO. DACW03-79-C-0015

SECTION 19 , T 22N , R 24W COUNTY STONE

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
		— SECTIONAL		BREAKDOWN	LINE —	
	DD3009-2-1A			279000.08	186360.73	
9 & 10		N 28° 42' 22" W	951.76			
	DD3009-2-2			279834.87	185903.58	
11		N 47° 31' 44" E	233.73			
	DD3009-2-3			279992.69	186075.98	
12		N 42° 50' 37" W	232.46			
	DD3009-2-4			280163.13	185917.91	
13		N 19° 32' 20" W	889.86			
	DD3009-2-5			281001.75	185620.30	
14		N 87° 34' 22" W	497.06			
	DD3009-2-6			281022.80	185123.69	
15		S 24° 16' 26" E	370.50			
	DD3009-2-7			280685.05	185276.01	
16		S 6° 43' 13" E	355.82			
	DD3009-2-7A			280331.67	185317.65	

BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, ARKANSAS & MISSOURI

SECTION 19, T 22N, R 24W COUNTY STONE



FULL SECTION APPROXIMATE SCALE 1:12,000

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	3009-2-7A		945.80	280332.54	185319.04	T-3
17		S 07-20-58 E	496.75			
	3009-2-7B		938.35	279839.87	185382.58	T-3
17		S 07-23-01 E	162.06			
	3009-2-8		926.70	279679.16	185403.40	T-3
18		S 02-03-17 W	440.31			
	3009-2-8A		935.66	279239.12	185387.62	T-3
18		S 02-03-21 W	220.06			

Field Book No. 69-TR-1, 69TR-2, 69 TR-3 Date: FEB. 1969

CERTIFICATE OF SURVEY

I HEREBY CERTIFY THAT THE ABOVE PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE SURVEY MADE IN SECTION 19, T 22N, R 24W.

STONE
COUNTY.

SURVEYOR REG. NO.

GN MN

LEGEND
- ▲ MONUMENT TYPE 1
- △ MONUMENT TYPE 3
- ● FOUND I. P.
- ○ SET I. P.
- ■ FOUND STONE
- □ COMPUTED CORNER
- ✳ OTHER

U. S. ARMY ENGINEER DISTRICT, LITTLE ROCK
CORPS OF ENGINEERS

SHEET 1 OF 2

BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, ARKANSAS & MISSOURI

SECTION 19 , T 22N , R 24W COUNTY

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION / DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
	3009-2-9= 3007-8		935.97	279019.19	185379.72	T-3
19 3		S 31-31-18 E	596.71			
	3007-9		930.94	278510.59	185691.66	T-3
20 4		S 24-26-50 E	739.27			
	3007-10		934.06	277837.66	185997.58	T-3
21 5		S 87-46-01 E	165.03			
	3007-11		929.69	277831.24	186162.44	T-3
22 6		S 42-51-14 E	233.63			
	3007-12= 3009-1-1		925.73	277659.99	186321.31	T-3
	3009-1-11= 3011-1-1		944.02	277744.20	184177.29	T-3
23 7		N 87-33-49 W	330.25			
	3009-1-12= 3011-1-2		944.48	277758.24	183847.26	T-3

SHEET 2 OF 2

SWL FORM 136
REVISED OCT. 1971

BOUNDARY SURVEYS
TABLE ROCK LAKE
WHITE RIVER, ARKANSAS & MISSOURI

AREA 22
CONTRACT NO. DACW03-79-C-0015

SECTION 19 , T 22 N , R 24 W COUNTY STONE

COURSE NO.	MONUMENT NO.	GRID BEARING	ELEVATION DISTANCE	POSITION NORTH	POSITION EAST	REMARKS
14		N 87°48'21" W	219.87			
	DD3009-2-5A		933.30	280999.48	185393.10	T-3
14		N 87°48'21" W	273.88			
	DD3009-2-6		941.84	281009.96	185119.42	T-3 YIELD R.R. SPIKE
15		S 24°30'22" E	369.39			
	DD3009-2-7		946.54	280673.83	185272.64	T-3 YIELD R.R. SPIKE
16		S 7°29'40" E	345.10			
	DD3009-2-7A		946.00	280331.67	185317.65	YIELD TO EXISTING BRASS CAP
	DD3011-1-2		944.62	277758.25	183847.26	YIELD-STONE
24 ~~17~~		N 2°03'28" E	195.09			
	DD3011-1-2A		952.17	277953.22	183854.26	T-3
24 ~~17~~		N 2°03'28" E	383.87			
	DD3011-1-2B		953.59	278336.84	183868.04	T-3
24 ~~17~~		N 2°03'28" E	300.00			
	DD3011-1-2C		950.20	278636.65	183878.80	T-3
24 ~~17~~		N 2°03'28" E	246.97			
	DD3011-1-2D		955.46	278883.46	183887.66	T-3
24 ~~17~~		N 2°03'28" E	193.67			
	DD3011-1-3		954.39	279077.01	183894.61	YIELD-STONE
25 ~~18~~		N 42°25'51" W	209.59			
	DD3011-1-3A		931.28	279231.70	183753.20	T-3
25 ~~18~~		N 42°25'51" W	269.86			
	DD3011-1-4		938.22	279430.89	183571.12	T-3
26 ~~19~~		S 48°01'29" W	100.75			
	DD3011-1-4A		924.06	279363.50	183496.21	T-3
26 ~~19~~		S 48°01'29" W	366.31			
	DD3011-1-5		947.91	279118.51	183223.88	T-3
27 ~~20~~		S 2°04'52" W	217.17			
	DD3011-1-5A		943.21	278901.49	183215.99	T-3
27 ~~20~~		S 2°04'52" W	277.19			
	DD3011-1-6		937.59	278624.48	183205.92	T-3
28 ~~21~~		S 34°08'33" W	462.22			
	DD3011-1-6A		938.41	278241.93	182946.50	T-3
28 ~~21~~		S 34°08'33" W	473.44			
	DD3011-1-7		930.52	277833.40	182669.46	T-3

SHEET 3 OF

SWL FORM 136